

# Tabela de Rendimento para Rejuntamento

ÍNDICE 

Largura da junta	2 mm	4 mm	6 mm	8 mm	10 mm	12 mm	14 mm
Formato da placa (mm)	Rendimento por metro quadrado, em gramas						
20 x 20 x 3	1.260	2.520	3.720	5.040	6.300	7.560	8.820
50 x 50 x 5	840	1.680	2.520	3.360	4.200	5.040	5.880
75 x 75 x 5	546	1.092	1.638	2.184	2.730	3.276	3.822
100 x 100 x 6	504	1.008	1.512	2.016	2.520	3.024	3.528
100 x 200 x 5	315	630	945	1.260	1.575	1.890	2.205
150 x 150 x 3	163	327	492	655	819	982	1.146
150 x 150 x 5	273	546	819	1.092	1.365	1.638	1.911
200 x 200 x 5	210	420	630	840	1.050	1.260	1.470
250 x 250 x 6	201	403	604	807	1.008	1.209	1.411
200 x 300 x 6	177	352	539	705	882	1.059	1.234
300 x 300 x 6	151	303	453	604	756	907	1.059
300 x 300 x 8	201	403	604	807	1.008	1.209	1.411
400 x 400 x 8	201	403	604	807	1.008	1.209	1.411
450 x 450 x 8	135	270	403	537	672	807	940
500 x 500 x 8	100	201	303	403	504	604	705
600 x 600 x 10	84	168	252	336	420	549	588
600 x 600 x 20	168	336	504	672	840	1.008	1.176
700 x 700 x 10	84	168	252	336	420	549	588
700 x 700 x 20	168	336	504	672	840	1.008	1.176
800 x 800 x 10	84	168	252	336	420	549	588
800 x 800 x 20	168	336	504	672	840	1.008	1.176
900 x 900 x 20	168	336	504	672	840	1.008	1.176
1000 x 1000 x 20	168	336	504	672	840	1.008	1.176
1200 x 1200 x 20	168	336	504	672	840	1.008	1.176
1500 x 1500 x 20	168	336	504	672	840	1.008	1.176